

---

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

 Revision date 10/6/2018 (rev 3)
 

---

**PRODUCT NAME:** Nano-Ceramic Color Coating series  
**PRODUCT CODES:** -1400 series  
**Supplier:**

Your info here

**EMERGENCY PHONE:**  
**CHEMICAL NAME:** Polysilazane Proprietary Mixture  
**CHEMICAL FAMILY:** Polymeric Resin-Solvent Blend  
**CHEMICAL FORMULA:** Proprietary Blend  
**PRODUCT USE:** color coating for firearms, knives, etc.

---

**SECTION 2: HAZARDS IDENTIFICATION**
**Hazards classifications**
**HIMS rating (as packaged)**
**LABEL STANDARD :**
**ROUTES OF ENTRY:** eyes, skin, inhalation, ingestion

**POTENTIAL HEALTH EFFECTS**
**ACUTE HEALTH HAZARDS:**
**EYES:** May cause irritation

**SKIN:** May cause skin irritation through absorption

**INGESTION:** Harmful if swallowed

**INHALATION:** May cause respiratory tract irritation. At higher vapor concentrations, inhalation may affect central nervous system

**CHRONIC HEALTH HAZARDS:** No known application information at this time.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** No known application information at this time

**CARCINOGENICITY**
**OSHA:** N/A

**ACGIH:** N/A


**NTP:** N/A

**IARC:** N/A

**OTHER:** There are no known carcinogenic ingredients present at over 0.1% in this material

**SECTION 3 NOTES:** Above information based off of standard industrial use of this product. Abnormal use and contact may result in increased damage and irritation to all affected areas.

HMIS III	
HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARDS	1
Personal Protection: F Gloves, Apron, Dust Respirator	



GHS Singal Word  
 Danger

GHS Hazard Pictograms:


**GHS Classifications:**

Physical, Flammable Liquids,  
 Health, Acute toxicity, 4 Oral  
 Health, Aspiration hazard, 2  
 Health, Skin corrosion/irritation, 2  
 Health, Respiratory or skin sensitization, 1 Skin  
 Health, Serious Eye Damage/Eye Irritation, 2 A  
 Health, Acute toxicity, 4 inhalation

# Safety Data Sheet

Health, Specific target organ toxicity - Single exposure, 1  
Health, Specific target organ toxicity, single exposure, 3  
Health, Specific target organ toxicity - Repeated exposure, 2  
Environmental, Hazards to the aquatic environment - Acute, 2

## GHS Phrases:

H226 - Flammable liquid and vapour  
H302 - Harmful if swallowed  
H305 - May be harmful if swallowed and enters airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H370 - Causes damage to organs  
H373 - May cause damage to organs through prolonged or repeated exposure  
H401 - Toxic to aquatic life

## GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P211 - Do not spray on an open flame or other ignition source.  
P232 - Protect from moisture.  
P240 - Ground/bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/light/equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P262 - Do not get in eyes, on skin, or on clothing.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P281 - Use personal protective equipment as required.  
P284 - Wear respiratory protection.  
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302+352 - IF ON SKIN – Wash with soap and water.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 - IF IN EYES: Seek immediate medical attention.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P370+376 - In case of fire: Stop leak if safe to do so  
P370+378 - In case of fire: Use CO<sub>2</sub>, dry chemical powder, foam or alcohol foam for extinction.  
P370+380 - In case of fire: Evacuate area.  
P374 - Fight fire with normal precautions from a reasonable distance.  
P381 - Eliminate all ignition sources if safe to do so.  
P402+404 - Store in a dry place. Store in a closed container.  
P403+233 - Store in a well ventilated place. Keep container tightly closed.  
P403+235 - Store in a well ventilated place. Keep cool.  
P410+403 - Protect from sunlight. Store in a well ventilated place.  
P411 - Store at temperatures not exceeding 25 °C/77 °F.  
P501 - Dispose of contents/container to licensed waste facility.  
NOTE: tert Butyl acetate is listed as a VOC Exempt solvent.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

**INGREDIENT:** Ingredients that are identified as toxic via the SARA guidelines are listed below per section 313 of the 40CFR372

<u>CAS NO.</u>	<u>CONTENT %</u>	<u>CHEMICAL NAME</u>
9006-65-9	18%- 60%	Polysilazane proprietary mixture
540-88-5	25%-40%	Tert-Butyl Acetate or similar VOC Exempt solvent blend

**SECTION 3 NOTES:** Ingredients not listed are not listed in the SARA classification and deem proprietary.

## SECTION 4: FIRST AID MEASURES

---

# Safety Data Sheet

**EYES:** Immediately flush with water for at least 15 minutes. If irritation persists, seek medical attention

**SKIN:** Wash contact area thoroughly with soap and water. Washing clothing separately from other garments. If irritation persists, stop using garments and seek medical advice.

**INGESTION:** DO NOT induce vomiting. Seek immediate medical attention.

**INHALATION:** Remove to fresh air. If breathing is difficult, have trained personnel administer oxygen and seek immediate medical attention.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Administration of absorbents may be of value.

**SECTION 4 NOTES:** Always wear protective eyewear, gloves and clothing when handling any chemical.

---

## SECTION 5: FIRE-FIGHTING MEASURES

**FLAMMABILITY:** Class B Flammable Liquid

**EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical powder, extinguishing foam media

**SPECIAL FIRE FIGHTING PROCEDURES:** Evacuate all unnecessary personnel. Shut down all electrical devices in exposed area. Use water to keep adjacent containers cool to prevent pressure build-up. Wear self-contained breathing apparatus and full protective clothing.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Container explosion may occur under fire conditions. Toxic fumes from container may be emitted under fire conditions.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Chlorine containing gas, Fluorine containing gas, may be discharged upon decomposition.

**SECTION 5 NOTES:** Avoid static charge build-up. Static charge could ignite heavy vapors.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**ACCIDENTAL RELEASE MEASURES:** Determine to evacuate or isolate the area according to your local emergency plan. For large spills, supply emergency diking to contain materials. After removal of bulk material, the use of an absorbent is needed for final clean up. Remove waste materials to a location per your local waste management regulations, state or Federal regulations.

**SECTION 6 NOTES:** Always wear personal protective equipment when handling all types of chemicals and waste products. Refer to section 8 for Personal protective equipment.

---

## SECTION 7: HANDLING AND STORAGE

**HANDLING AND STORAGE:** Store in cool dry location with adequate ventilation. Do not store in direct sunlight. Keep containers tightly sealed when not in use. Avoid leaving open containers during use.

Store in temperatures between 55°F and 80°F.

**OTHER PRECAUTIONS:** Always wear protection clothing when handling all chemicals. See section 8 for details.

**SECTION 7 NOTES:** Do not smoke when handling materials. Keep away from moisture and standing water.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Local and general ventilation is recommended.

**RESPIRATORY PROTECTION:** Use respiratory protection unless adequate ventilation is in place and has been assessed to provide proper air movement for recommended exposure. Follow OSHA requirements for respirator regulations 29CFR 1910.134.

**EYE PROTECTION:** Always wear protective eyewear or goggles. Recommended use of full face respirator or large volume handling and spills.

**SKIN PROTECTION:** Chemical protective gloves is always recommended. Wash exposed skin immediately if contact with chemical occurs.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** The use of chemical resistant aprons, shoe covers and face shields is recommended for any handling of chemicals.

**WORK HYGIENIC PRACTICES:** The use of proper cleaning soaps and solutions for all body parts is recommended. Eye wash stations and showers in accordance with OSHA and local safety regulations is advised and in close proximity.

**EXPOSURE GUIDELINES:** Refer to sections 4, 7, and 8 for contact and exposure recommendations.

**SECTION 8 NOTES:** Note, all of these precautions are based off of room temperature handling. Elevated temperatures may increase the need for extra care in handling of materials.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Clear

**ODOR:** Strong solvent to ammonia / naphthalenic

**PHYSICAL STATE:** Liquid

**SOLUBILITY:** reacts with water

**Total Non-exempt VOC compounds: 0.0 g/L**

**Solvents used within this product are VOC Exempt per 40CFR51.100(s).**

**MOLECULAR WEIGHT:** <55ps

**VISCOSITY:** 12-17 seconds (#2 Zahn Cup)

**SECTION 9 NOTES:**

---

## SECTION 10: STABILITY AND REACTIVITY

**Stability:** STABLE

**INCOMPATIBILITY (MATERIAL TO AVOID):** Oxidizers, Isocyanates, water, protic solvents, mineral acids and alkalies.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Chlorine containing gasses, Fluorine containing gasses, Carbon Monoxide, Carbon Dioxide, and Silicon Dioxide.

**HAZARDOUS POLYMERIZATION:** Will not occur

**CONDITIONS TO AVOID (POLYMERIZATION):** N/A

# Safety Data Sheet

**SECTION 10 NOTES:** The above criteria may not be all the materials that affect stability, but per testing, the above information is true to the best of our knowledge.

## SECTION 11: TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL INFORMATION:** Not listed as carcinogen by NTP (National Toxicology Program); not regulated as carcinogen by OSHA (Occupational Safety and Health Administration); not evaluated by IARC (International Agency for Research on Cancer)

**SECTION 11 NOTES:** No human studies have been conducted with this material. The use of recommended protective equipment should reduce or prevent any adverse effects.

## SECTION 12: ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION:** This material listed as a water hazard category 2: and may be hazardous to aquatic organisms. Avoid release to surface waters and waste treatment systems.

**SECTION 12 NOTES:** None

## SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:** Do not mix this product with aqueous or other protic waste streams. Incinerations of combustible waste materials in a permitted facility in accordance with the local, state, and federal regulations is the recommended disposal method.

**RCRA HAZARD CLASS:** I / Ignitable

**SECTION 13 NOTES:** Local and state regulations may exceed federal standards. Always consult your local waste authority for proper disposal requirements.

## SECTION 14: TRANSPORT INFORMATION

### U.S. DEPARTMENT OF TRANSPORTATION

**PROPER SHIPPING NAME:** Paint Related Materials

**HAZARD CLASS:** 3

**UN NUMBER:** 1263

**PACKING GROUP:** III

**LABEL STATEMENT:** Flammable liquid

### WATER TRANSPORTATION

**PROPER SHIPPING NAME:** Paint Related Materials

**HAZARD CLASS:** 3

**UN NUMBER:** 1263

**PACKING GROUP:** III

**EmS No.:** 30 S-E, F-E

**LABEL STATEMENTS:** Flammable Liquid

### AIR TRANSPORTATION

**PROPER SHIPPING NAME:** Paint Related Materials

**HAZARD CLASS:** 3

**UN NUMBER:** 1263

**PACKING GROUP:** III

**LABEL STATEMENTS:** Flammable Liquid



### CONSUMER COMMODITY

**ID NUMBER:** 8000

**HAZARD CLASS:** 9

**LABEL STATEMENT:**

**LABEL ORM-D Domestic:**

**SECTION 14 NOTES:** Labels to match on both SDS and Packaging as required.



## SECTION 15: REGULATORY INFORMATION

### U.S. FEDERAL REGULATIONS

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** All chemical substances in this material are on or exempted from the listing on the TSCA Inventory of Chemical Substances.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** None

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):** None

**311/312 HAZARD CATEGORIES:** Acute: NO Chronic: NO Fire: YES Pressure: NO Reactive: NO

**313 REPORTABLE INGREDIENTS:** Non present or none present in regulated quantities.

**STATE REGULATIONS:** Exempt list per 40CFR51.100(s).

**INTERNATIONAL REGULATIONS:** Subject to specific country, province, state or district regulations.

**SECTION 15 NOTES:** None

## SECTION 16: OTHER INFORMATION

**Revision date 10/6/2018 (rev 3)**

**U.S. Federal Regulations:**

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of hazard communication program including labeling, material safety data sheets, training and access to written

# Safety Data Sheet

records. We request that you (as it is your legal duty to) make all information in this Safety Data Sheet available to all your employees.